

|   | Type        | L # | Hits | Search Text  | DBs  | Time Stamp          |
|---|-------------|-----|------|--|--|---------------------|
| 1 | B<br>R<br>S | L1  | 5321 | ((bootstrap 'boot')<br>NEAR2 (routine program<br>operation algorithm))   | USPAT<br>;<br>US-PG<br>PUB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_T<br>DB | 2004/01/08<br>23:57 |
| 2 | B<br>R<br>S | L2  | 26   | 1 SAME ((download\$3<br>updat\$3 upgrad\$3) NEAR3<br>(program system<br>application)) SAME<br>(failure 're-boot'<br>incomplete missing lost<br>'not-delivered'<br>corrupt\$3<br>'re-transmission') | USPAT<br>;<br>US-PG<br>PUB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_T<br>DB | 2004/01/08<br>23:57 |
| 3 | B<br>R<br>S | L3  | 10   | 2 AND ((@ad <=<br>"19970414") or (@rlad.<br><= "19970414"))  | USPAT<br>;<br>US-PG<br>PUB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_T<br>DB | 2004/01/09<br>01:43 |
| 4 | B<br>R<br>S | L4  | 7151 | ((bootstrap 'boot')<br>NEAR4 (routine program<br>operation algorithm))   | USPAT<br>;<br>US-PG<br>PUB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_T<br>DB | 2004/01/08<br>23:57 |

|   | Type        | L # | Hits | Search Text  | DBs  | Time Stamp          |
|---|-------------|-----|------|--|--|---------------------|
| 5 | B<br>R<br>S | L5  | 1078 | 1 AND ((download\$3 updat\$3 upgrad\$3) NEAR4 (program system application)) AND (failure 're-boot' incomplete missing lost 'not-delivered' corrupt\$3 're-transmission')   | USPAT;<br>US-PG<br>PUB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_T<br>DB | 2004/01/09<br>01:51 |
| 6 | B<br>R<br>S | L6  | 517  | 5 AND (@ad <= "19970414") or (@rlad <= "19970414"))  | USPAT;<br>US-PG<br>PUB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_T<br>DB | 2004/01/08<br>23:59 |
| 7 | B<br>R<br>S | L7  | 202  | 1 AND ((download\$3 updat\$3 upgrad\$3) NEAR4 (program system application)) SAME (failure 're-boot' incomplete missing lost 'not-delivered' corrupt\$3 're-transmission')) | USPAT;<br>US-PG<br>PUB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_T<br>DB | 2004/01/09<br>00:22 |
| 8 | B<br>R<br>S | L8  | 77   | 7 AND (@ad <= "19970414") or (@rlad <= "19970414"))  | USPAT;<br>US-PG<br>PUB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_T<br>DB | 2004/01/09<br>00:22 |

|    | Type        | L # | Hits | Search Text  | DBs  | Time Stamp          |
|----|-------------|-----|------|--|--|---------------------|
| 9  | B<br>R<br>S | L9  | 2804 | 713/1 713/2  | USPAT;<br>US-PG<br>PUB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_T<br>DB | 2004/01/09<br>00:20 |
| 10 | B<br>R<br>S | L10 | 150  | 9 AND ( ((download\$3<br>updat\$3 upgrad\$3) NEAR4<br>(program system<br>application)) SAME<br>(failure 're-boot'<br>incomplete missing lost<br>'not-delivered'<br>corrupt\$3<br>'re-transmission')) | USPAT;<br>US-PG<br>PUB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_T<br>DB | 2004/01/09<br>00:22 |
| 11 | B<br>R<br>S | L11 | 42   | 10 AND (@ad <= "19970414") or (@rlad <= "19970414"))   | USPAT;<br>US-PG<br>PUB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_T<br>DB | 2004/01/09<br>00:22 |
| 12 | B<br>R<br>S | L12 | 7    | "6141698"  | USPAT;<br>US-PG<br>PUB;<br>EPO;<br>JPO;<br>DERWE<br>NT;<br>IBM_T<br>DB | 2004/01/09<br>01:50 |

|    | Type        | L # | Hits | Search Text  | DBs   | Time Stamp          |
|----|-------------|-----|------|--|-------|---------------------|
| 13 | B<br>R<br>S | L13 | 22   | ( "5005122"   "5337357"<br>  "5390297"   "5530752"<br>  "5553143"   "5592549"<br>  "5708709"   "5710887"<br>  "5724424"   "5757908"<br>  "5758068"   "5758069"<br>  "5778173"   "5794259"<br>  "5805802"   "5845070"<br>  "5895454"   "5897622"<br>  "5898777"   "5909492"<br>  "5918213"  <br>"5940807") .PN. | USPAT | 2004/01/09<br>01:46 |
| 14 | B<br>R<br>S | L14 | 10   | 6073124.URPN.  | USPAT | 2004/01/09<br>01:48 |

|   | Type        | L # | Hits | Search Text  | DBs   | Time Stamp          |
|---|-------------|-----|------|--|---|---------------------|
| 1 | B<br>R<br>S | L1  | 1173 | 717/168-178.ccls.  | USPAT;<br>US-PGPUB  | 2004/01/09<br>11:40 |
| 2 | B<br>R<br>S | L2  | 106  | 1 AND ((download\$3<br>updat\$3 upgrad\$3) NEAR4<br>(program system<br>application)) SAME<br>(failure 're-boot'<br>incomplete missing lost<br>'not-delivered'<br>corrupt\$3<br>'re-transmission')) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/09<br>13:40 |
| 3 | B<br>R<br>S | L3  | 32   | 2 AND (@ad <= "19970414") or (@rlad <= "19970414"))  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/09<br>13:40 |
| 4 | B<br>R<br>S | L4  | 179  | 725/35   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/09<br>11:53 |
| 5 | B<br>R<br>S | L5  | 65   | 4 AND (@ad <= "19980707") or (@rlad <= "19980707"))  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/09<br>11:54 |
| 6 | B<br>R<br>S | L6  | 2802 | 713/1 713/2  | USPAT;<br>US-PGPUB  | 2004/01/09<br>13:39 |
| 7 | B<br>R<br>S | L7  | 150  | 6 AND ((download\$3<br>updat\$3 upgrad\$3) NEAR4<br>(program system<br>application)) SAME<br>(failure 're-boot'<br>incomplete missing lost<br>'not-delivered'<br>corrupt\$3<br>'re-transmission')) | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/09<br>13:42 |

|    | Type        | L # | Hits   | Search Text  | DBs  | Time Stamp          |
|----|-------------|-----|--------|--|--|---------------------|
| 8  | B<br>R<br>S | L8  | 42     | 7 AND ((@ad <= "19970414") or (@rlad <= "19970414"))   | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/09<br>13:42 |
| 9  | B<br>R<br>S | L9  | 140447 | (bootstrap initial\$3 boot 'boot-up') NEAR4 (routine program\$4 algorithm process method software code)  | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/09<br>13:42 |
| 10 | B<br>R<br>S | L10 | 970    | 9 AND ( ((download\$3 updat\$3 upgrad\$3) NEAR4 (program system application)) SAME (failure 're-boot' incomplete missing lost 'not-delivered' corrupt\$3 're-transmission'))   | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/09<br>13:43 |
| 11 | B<br>R<br>S | L11 | 416    | 10 AND ((@ad <= "19970414") or (@rlad <= "19970414"))  | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/09<br>13:46 |
| 12 | B<br>R<br>S | L12 | 23     | 9 AND ( ((automatic\$5 'without user intervention'<br>'pre-set') NEAR4 (download\$3 updat\$3 upgrad\$3) NEAR4 (program system application)) SAME (failure 're-boot' incomplete missing lost 'not-delivered' corrupt\$3 're-transmission')) | USPAT;<br>US-PGPUB;<br>EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/09<br>13:44 |

|    | Type        | L # | Hits | Search Text  | DBs   | Time Stamp          |
|----|-------------|-----|------|--|---|---------------------|
| 13 | B<br>R<br>S | L13 | 104  | ( (automatic\$5 'without user intervention'<br>'pre-set') WITH<br>( (download\$3 updat\$3<br>upgrad\$3) NEAR4<br>(program system<br>application)) ) SAME<br>(failure 're-boot'<br>incomplete missing lost<br>'not-delivered'<br>corrupt\$3<br>'re-transmission') | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/09<br>13:46 |
| 14 | B<br>R<br>S | L14 | 31   | 9 AND 13   | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/09<br>13:46 |
| 15 | B<br>R<br>S | L15 | 16   | 14 AND ((@ad <= "19970414") or (@rlad <= "19970414"))  | USPAT;<br>US-PGPUB<br>; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | 2004/01/09<br>13:46 |